



Exceptionally authentic, with the benefits of luxury vinyl.





The type of floor in your home says a lot about who you are. That's why we offer floors for people that love nature, like chilling on the couch, design freaks, gamers, animal lovers, messy crafters, careerists, toddlers, world travellers, binge-watchers, hobby chefs and stylists.

Pick a floor that suits your lifestyle.



Chevron

**40** 

Creative flooring patterns

Staircase renovation

Discover more?

Maintenance tips

Featured: 3500-series

The composition of our floors

|   | Con | ten |  |
|---|-----|-----|--|
| 3 |     |     |  |

| <b>50</b> | Sustainability             |    |
|-----------|----------------------------|----|
|           | A sustainable choice       | 50 |
|           |                            |    |
| <b>52</b> | Recommendations            |    |
|           | Roomplanner                | 52 |
|           | Free samples               | 53 |
|           | Inspiration on our website | 55 |
|           | Contact                    | 56 |
|           |                            |    |
| <b>59</b> | Product range              |    |
|           | Compare sizes              | 58 |
|           | Overview all colours       | 59 |
|           | Product overview           | 66 |
|           |                            |    |
|           |                            |    |
|           |                            |    |

04

36

37


38


48

40

42

# What are you interested in?





## Why luxury vinyl?

An exceptionally versatile floor.

Luxury vinyl is incredibly versatile in use and has advantages no other type of flooring can match. That's a nice thought, because you don't buy a floor for a short period, but for life.

#### Unique design

All our floors have incredibly detailed, hyper-realistic and unique prints. The print, combined with a matte finish, makes our floors indistinguishable from real wood or stone.

#### Two installation options with different thicknesses

Our collection is available in dryback or click. Dryback has a thickness of 2.5 mm and click is 6.5 mm, with an integrated sound absorbing underlay.

#### Bevelled edges

The edges of the planks have a subtle angle, which form a v-shaped bevel when laid together. The bevels emphasize the individual planks for an authentic look.

#### Natural embossing

The top layer of our floors have a tangible texture.

This texture is called embossing and gives your floor a lifelike look and touch.

#### **Protective top layer**

The protective top layer of 0.55mm ensures that your floor can handle a lot. It's durable enough for children playing with toys as well as pets running around.

#### 100% recyclable

Our floors are made from 'virgin' vinyl. This means the material is pure, unpolluted and therefore 100% recyclable.

#### 25-year warranty

We're fully convinced our luxury vinyl is of the highest quality. That's why we're more than happy to give you a 25 year warranty for your peace of mind.



0,55 mm Protective layer

**Tangible embossing** 

Floor heating

V-shaped bevelled edges

Easy to maintain

**Extra matte finish** 

**Animal friendly** 


25-year warranty

Cak 0320

# Inspired by **Tile 1420**







### Featured: 1400-series

The 1400 series is inspired by the Italian village of Matera, known for its soft earthy tones. These colors are reflected in the series, giving the collection a calm, timeless look.



# Dryback Click or


## The majority of our collection is available in both dryback and click. What suits you best?

Both options have advantages and unique features; the best choice depends on your personal situation. Read the differences beside this and decide: dryback or click? Did you know?

You can easily install a click floor yourself. Our click floors feature an ultra-strong EPC core and a click connection by Välinge, offering top-notch quality. Perfect for the do-it-yourself click installer!

**Dryback** Have a professional install your floor. The floor is thinner and can be installed directly on a leveled More efficient combined with underfloor heating systems because of its thickness and being directly glued to the base Individual planks can be laid in several orientations. Click Perfect for the DIYer: easily install the floor yourself. Suitable for underfloor heating systems. The floor can be disassembled easily and taken for reinstallation in a new place. Has an integrated sound absorbing IXPE underlay. Maximal sound absorption combined with our Secura underfloor (19 dB Delta Lw). New Oak 8530







# Home inspiration from @bokado





# Are you interested in authentic Oak?

An oak luxury vinyl floor is both practical and full of character, effortlessly complementing any interior. Strong, low-maintenance, and featuring the natural look of real wood.

Choosing made easy! Our Oak collection is divided into three categories: from calm oak (Premier) to lively (Rustic) and in-between (Standard).



# Premier Oak

Tranquil and simple. A minimalist look with few to no knots.



















Rustic Oak collectie: 3500 en 6800 serie.





Pinewood collections: 4200 and 4500 series.





# Tiles

Luxury vinyl tiles bring style and class to every room in your home. These tiles combine durability with easy maintenance, offering a smart alternative to natural stone and concrete.



Discover all our floors from page 59.





# Herringbone

Herringbone floors are extremely stylish, perfect for a classic look.


**Discover all our floors** from page 59.



# Chevron

This distinctive pattern is often associated with elegance and luxury.









#### **Traditional**

The classic among Chevron patterns.



#### **Diagonal**

A modern twist on the traditional pattern.




#### Hexagonal

This six-sided design is bold and unique.

Discover all our floors from page 59.

37



# Make your staircase the eye-catcher in your home!

Eight designs from our collection are exclusively available for staircase renovation. Match your staircase with the floor or create contrast by combining a wood-look floor with a concrete-look staircase.



These planks are larger in size, fully covering each stair step. On average, one pack of Vivafloors stair renovation covers four steps. Universal profiles are available in multiple colors and can be ordered at authorized retailers.

# The composition of luxury vinyl.

Luxury vinyl floors consist of multiple layers that form a cohesive whole. All our floors feature a durable 0.55 mm wear layer. The core of our click floors is made from SPC or EPC.

#### Composition Dryback

Our dryback floors have the following composition:

- 1. UV protection layer
- 2. Durable wear layer with textured embossing
- 3. Vivafloors design print
- 4. Strong central core
- 5. Supportive base layer

This applies to all our floors in the dryback variant.



#### **Composition Click**

Our click floors (SPC & EPC) have the following composition:

- 1. UV protection layer
- . Durable wear layer with textured embossing
- 3. Vivafloors design print
- 4. EPC or SPC rigid core
- 5. Adhesive layer
- 6. Sound-dampening IXPE underlay

This applies to all our floors in the click variant.



#### The core of Click

#### SPC

(stone plastic composite)

ollection. This material much stiffer and coler compared to EPC, ligning with the natural haracteristics of real tiles.

#### **EPC**

(expanded plastic composite)

EPC is the **latest innovation** for Click. The benefits:

- 1 Walking comfort
- 20% lighter than SPC
- 3 Comparable ultrastrong core like SPC

#### **Click connection**

#### Välinge

The click connection in a click floor is also very important. Our click floors feature a patented click connection from Swedish company Välinge, ensuring **top quality**.





EPC: Expanded Polymer Composite (click wood-look) SPC: Stone Plastic Composite (click Tiles)

Pinewood 4540


41














#vivafloors



Inspired by Oak 3530







# Featured: 3500-series

The 3500 series is inspired by Sauerland Oak from the Rothaar Mountains in Germany. With advanced scanning techniques, we accurately capture the authentic wood character in our luxury vinyl floors. This series is known for its realistic and high-quality appearance.





Gold certificate, are phthalate-free and 100% recyclable.



#### **Indoor Air Comfort Gold**

Our floors are Indoor Air Comfort Gold (IAC Gold) certified. This is the most ambitious low-emission label in Europe, demonstrating that our products contribute to a healthy indoor environment.

PHTHALATE FREE

#### Phthalate-free

Our floors are phthalate-free and contain no harmful plasticizers. Instead, we use an organic plasticizer (DOTP), which is non-toxic and eco-friendly!

vivafloors



A Vivafloors floor is 100% recyclable! This is because our floors are made from virgin luxury vinyl — a pure variant that is not mixed with lower-quality materials.



Our factories are ISO 9001 and ISO 14001 certified, ensuring continuous focus on quality management and environmental stewardship based on international standards.

# Reducing our ecological footprint


We are constantly working to reduce our footprint. This includes an electric vehicle fleet, eco-friendly packaging, sustainable transport partners, and responsible suppliers. Additionally, we aim to have a carbon-neutral office by 2025.

When you choose Vivafloors, you're choosing a sustainable floor that will bring you lasting enjoyment.

Learn more: vivafloors.com/sustainability.

### We are here to help!

Free samples and the Roomplanner make choosing your dream floor a breeze. Every month, we send out hundreds of samples, and thousands use the Roomplanner. Say goodbye to decision stress-try it for yourself!



Order your free samples today!





#### Choose, view, and compare our floors in your interior.

With the Roomplanner, you can virtually view our floors in your own interior. This way, you get a clear idea of how your space will come together.




Scan the QR code and try the Roomplanner



#### How does it work?

- Take a photo of the room where you new floor will be installes.
- Upload your photo in the de Roomplanner.
- Select the desired floor from our collection.
- The Roomplanner replaces your current floor in the photo with a luxury vinyl floor from Vivafloors.

Tip: order free samples and create a mood board of materials and colours.






# Inspiration starts here...

#### The floor is yours **#Vivafloors**

Proud homeowners show off their #Vivafloors floors on social media. See our floors in real homes: vivafloors.com/home.



#### **Trends**

Which interior trends are we seeing? From organic shapes to silver accessories, we've listed all the trends for you! vivafloors.com/trends.








#### Home inspiration from...

There's nothing like a little peek behind the front door. Check out inspiring interiors featuring our luxury vinyl floors here.



# Will you stop by?


The best impression of our luxury vinyl floors comes when you see them with your own eyes. We want you to experience the quality of our flooring for yourself. Over 200 authorized specialist dealers are available to assist you and are happy to help.



There is always an authorized dealer near you.

Want to know exactly where?

- Scan the QR code or visit: vivafloors.com/retailers.
- 2. Enter a city name or postal code.
- 3. We'll show you all dealers in your area!



If you have any questions, we are here to help. Please call us, send us an email, or visit vivafloors.com/contact.



| Traditional plank Dryback 152,40 x 22,80 en click 152,40 x 22,60 cm | Traditional plank Dryback 142,20 x 22,90 cm en click 142,00 x 22,50 cm | click 93,50 x 45,70 cm  | <b>Herringbone</b> Dryback 60,96 x 15,24 cm en click 14,90 x 59,60 cm (6810 & 8360) | oack 60,96 x 12,19 cm                            | Herringbone XL Dryback 73,00 x 14,60 cm | <b>XL</b> Dryback 71,12 x 15,24 cm                  | Whalebone Dryback 91,40 x 15,20 cm |  |
|---|--|---|---|--|---|---|------------------------------------|--|
| 7200, 7800 and 8500 series  | 4200, 4500, 6500, 6800, 8300 and 8700 series                           | 1400, 1700, 1800 and 1900 series  Tile  Dryback 91,44 x 45,72 en click 93,50 x 45,70 cm | 1900, 6800 and 6900 Herringbone Dryb  | 7800 series Herringbone Dryback 60,96 x 12,19 cm | 7200 and 8500 series Herringbone        | 4500 series Herringbone XL Dryback 71,12 x 15,24 cm | 7800 series Whalebon               | 7200 and 720 |

Compare sizes

#### Overview of all colours

Discover our complete collection and find your perfect match!

#### **Premier Oak**

7800



#### **Premier Oak**

Oak Standard Oak 6500

8500 New 8520 oak 8520 oak 8540 oak 8500 oak 850

Standard Oak
7200

Oak 8140
Oak 8150

Standard Oak





Rustic Oak
6800
Ik 6820
Ik 6800
Ik 6800
Ik 6800



60

Tiles




**Tiles** 1700

Tile 1750


**Tiles** 1800



**Tiles** 1900











| The content of the   | Fo                  | eatures             | Drybackvariant                                      | Clickvariant  | Herringbone Drybackvariant                            | Herringbone clickvariant   | Whalebone Drybackvariant                           | Chevron  | Staircase renovation   |
|---|---------------------|---------------------|---|---|---|--|--|--|--|
| Management   Man  | Colour L C LV CV LV | V LH LT Embossing   | Dimensions m² per package Thickness & top           | Dimensions m² per package Thickness & top           | Dimensions m <sup>2</sup> per package Thickness & top | Dimensions m² per package Thickness & t  | op Dimensions m² per package Thickness & top       | Dimensions m² per package Thickness & top          | Dimensions m²per package Thickness & top                     |
|   | 1410 L C            | Special Embossed    | 91,44 x 45,72 cm 3,76 m <sup>2</sup> 2,5 - 0,55 mm  | 93,50 x 45,70 cm 1,71 m <sup>2</sup> 6,0 - 0,55 mm  |   | Legend   |  | * On average, you                                  | can renovate four steps with one                             |
|   | 1420 L C            | Special Embossed    | 91,44 x 45,72 cm 3,76 m <sup>2</sup> 2,5 - 0,55 mm  | 93,50 x 45,70 cm 1,71 m <sup>2</sup> 6,0 - 0,55 mm  |   |  |  | pack of Viv  | rafloors stair renovation materials.                         |
| March   Marc  | 1430 L C            | Special Embossed    | 91,44 x 45,72 cm 3,76 m <sup>2</sup> 2,5 - 0,55 mm  | 93,50 x 45,70 cm 1,71 m <sup>2</sup> 6,0 - 0,55 mm  |   |  | 5.) Saokranank Shorron                             |  | •  |
|   | 1440 L C            | Special Embossed    | 91,44 x 45,72 cm 3,76 m <sup>2</sup> 2,5 - 0,55 mm  | 93,50 x 45,70 cm 1,71 m <sup>2</sup> 6,0 - 0,55 mm  |   |  |  | T14281TI   | (  |
|   | 1710 L C            | Special Embossed    | 91,44 x 45,72 cm 3,76 m <sup>2</sup> 2,5 - 0,55 mm  | 93,50 x 45,70 cm 1,71 m <sup>2</sup> 6,0 - 0,55 mm  |   | The state of the s | Herringbone XL                                     | Technical modifications r                          |  |
|   | 1720 L C            | Special Embossed    | 91,44 x 45,72 cm 3,76 m <sup>2</sup> 2,5 - 0,55 mm  | 93,50 x 45,70 cm 1,71 m <sup>2</sup> 6,0 - 0,55 mm  |   | •  |  | most up-to-date specific                           | ations and recommended retail prices.                        |
|   | 1750 L C            | Special Embossed    | 91,44 x 45,72 cm 3,76 m <sup>2</sup> 2,5 - 0,55 mm  | 93,50 x 45,70 cm 1,71 m <sup>2</sup> 6,0 - 0,55 mm  |   |  |  |  |  |
| No.   1   | 1810 L C            | Special Embossed    | 91,44 x 45,72 cm 3,76 m <sup>2</sup> 2,5 - 0,55 mm  | 93,50 x 45,70 cm 1,71 m <sup>2</sup> 6,0 - 0,55 mm  |   |  |  |  | <b>+</b>   |
|   |                     | LT Special Embossed | 91,44 x 45,72 cm 3,76 m <sup>2</sup> 2,5 - 0,55 mm  | 93,50 x 45,70 cm 1,71 m <sup>2</sup> 6,0 - 0,55 mm  |   |  |  |  | 142,24 x 55,44 cm 2,83 m2 2,5 - 0,55 mm                      |
|   | 1830 L C            | Special Embossed    | 91,44 x 45,72 cm 3,76 m <sup>2</sup> 2,5 - 0,55 mm  | 93,50 x 45,70 cm 1,71 m <sup>2</sup> 6,0 - 0,55 mm  |   |  |  |  | *  |
|   | 1910 L C            | LT Special Embossed | 91,44 x 45,72 cm 3,76 m <sup>2</sup> 2,5 - 0,55 mm  | 93,50 x 45,70 cm 1,71 m <sup>2</sup> 6,0 - 0,55 mm  |   |  |  |  | 142,24 x 55,44 cm 2,83 m2 2,5 - 0,55 mm                      |
| No.   1   |                     | Special Embossed    | 91,44 x 45,72 cm 3,76 m <sup>2</sup> 2,5 - 0,55 mm  | 93,50 x 45,70 cm 1,71 m <sup>2</sup> 6,0 - 0,55 mm  |   |  |  |  |  |
|   | 1930 L C            | Special Embossed    | 91,44 x 45,72 cm 3,76 m <sup>2</sup> 2,5 - 0,55 mm  | 93,50 x 45,70 cm 1,71 m <sup>2</sup> 6,0 - 0,55 mm  |   |  |  |  |  |
|   | 1940 L C            | Special Embossed    | 91,44 x 45,72 cm 3,76 m <sup>2</sup> 2,5 - 0,55 mm  | 93,50 x 45,70 cm 1,71 m <sup>2</sup> 6,0 - 0,55 mm  |   |  |  |  |  |
|   | 3510 L C            | Register Embossed   | 142,20 x 22,90 cm 3,91 m <sup>2</sup> 2,5 - 0,55 mm | 142,00 x 22,50 cm 1,92 m <sup>2</sup> 6,5 - 0,55 mm |   |  |  |  |  |
|   |                     | Register Embossed   |   | 142,00 x 22,50 cm 1,92 m <sup>2</sup> 6,5 - 0,55 mm |   |  |  |  |  |
|   |                     | -                   |   |   |   |  |  |  |  |
|   |                     | -                   |   |   |   |  |  |  |  |
|   |                     | •                   |   |   |   |  |  |  |  |
|   |                     | ·                   |   |   |   |  |  |  |  |
| Mode   1  |                     | Register Embossed   | 142,20 x 22,90 cm 3,58 m <sup>2</sup> 2,5 - 0,55 mm | 142,00 x 22,50 cm 1,92 m <sup>2</sup> 6,5 - 0,55 mm | 71,12 x 15,24 cm 3,90 m <sup>2</sup> 2,5 - 0,55 mm    |  |  |  |  |
| March   Marc  | 4540 L C LV         | Register Embossed   | 142,20 x 22,90 cm 3,58 m <sup>2</sup> 2,5 - 0,55 mm | 142,00 x 22,50 cm 1,92 m <sup>2</sup> 6,5 - 0,55 mm | 71,12 x 15,24 cm 3,90 m <sup>2</sup> 2,5 - 0,55 mm    |  |  |  |  |
| 1   | 6501 L C            | Wood Touch          | 142,20 x 22,90 cm 3,58 m <sup>2</sup> 2,5 - 0,55 mm | 142,00 x 22,50 cm 1,92 m <sup>2</sup> 6,5 - 0,55 mm | 60,96 x 15,24 cm 3,35 m <sup>2</sup> 2,5 - 0,55 mm    |  |  |  |  |
|   |                     |                     |   |   |   |  |  |  | *  |
|   |                     |                     |   |   | 60,96 x 15,24 cm 3,35 m <sup>2</sup> 2,5 - 0,55 mm    | 59,60 x 14,90 cm 1,96 m <sup>2</sup> 6,5 - 0,55 mr   | 1  |  | 142,24 x 55,44 cm 2,83 m2 2,5 - 0,55 mm                      |
| May   1   |                     |                     | 142,20 x 22,90 cm 3,58 m <sup>2</sup> 2,5 - 0,55 mm | 142,00 x 22,50 cm 1,92 m <sup>2</sup> 6,5 - 0,55 mm |   |  |  |  |  |
|   |                     |                     |   |   |   |  |  |  |  |
| Wood   C   C   Wood  |                     |                     | 142,20 x 22,90 cm 3,58 m <sup>2</sup> 2,5 - 0,55 mm | 142,00 x 22,50 cm 1,92 m <sup>2</sup> 6,5 - 0,55 mm | 60,96 x 15,24 cm 3,35 m <sup>2</sup> 2,5 - 0,55 mm    |  |  |  |  |
|   |                     |                     |   |   | 60,96 x 15,24 cm 3,35 m <sup>2</sup> 2,5 - 0,55 mm    |  |  |  |  |
| May   1   1   1   1   1   1   1   1   1   |                     |                     | 142,20 x 22,90 cm 3,58 m <sup>2</sup> 2,5 - 0,55 mm | 142,00 x 22,50 cm 1,92 m <sup>2</sup> 6,5 - 0,55 mm |   |  |  |  |  |
|   |                     |                     |   |   |   |  |  |  |  |
| 7720   C   C   Wood Touch   \$26.0 x 2280 cm 3.84 m' 25 - 0.055 cm   \$26.0 x 2280 cm 2.76 m' 4.5 - 0.055 cm   \$26.0 x |                     |                     | 142,20 x 22,90 cm 3,58 m <sup>2</sup> 2,5 - 0,55 mm | 142,00 x 22,50 cm 1,92 m <sup>2</sup> 6,5 - 0,55 mm |   |  |  |  |  |
| 220   |                     |                     |   |   |   |  |  |  |  |
|   |                     |                     |   |   |   |  |  |  |  |
|   |                     |                     |   |   |   |  |  |  | *  |
| 780 L C LV LW LT Wood Touch 15240 x 2280 cm 384 m² 25 - 0.55 mm 15240 x 2280 cm 28 m² 25 - 0.55 mm 15240 x 2280 cm 28 m² 25 - 0.55 mm 15240 x 2280 cm 384 m² 25 - 0.55 mm 1524  |                     |                     |   |   |   |  |  | 55,10 x 15,90 cm 3,15 m <sup>2</sup> 2,5 - 0,55 mm | 142,24 x 55,44 cm 2,83 m2 2,5 - 0,55 mm                      |
| 785 L C Wood Touch 15240 x2280 cm 344m* 25 - 0.55 mm 15240 x2280 cm 344m* 25 - 0.55 mm 15240 x2280 cm 344m* 25 - 0.55 mm 15240 x2280 cm 276m* 65 - 0.55 mm 15240 x2280 cm 276m*   |                     |                     |   |   |   |  | _  |  | *  |
|   |                     |                     |   |   |   |  | 91,40 x 15,20 cm 3,34 m <sup>2</sup> 2,5 - 0,55 mm |  | 142,24 x 55,44 cm 2,83 m2 2,5 - 0,55 mm                      |
| 783   |                     |                     |   |   |   |  |  |  |  |
| 7870 L C Wood Touch 15240 x 2280 cm 384 m² 25 - 0.55 mm 15240 x 22  |                     |                     |   |   |   |  |  |  |  |
| 7870 L C  |                     |                     |   |   |   |  |  |  |  |
| 7870 L C LW Wood Touch 15240 x 2280 cm 384 m² 25 - 0.55 mm 15240 x 2280 cm 276 m² 65 - 0.55 mm 15240 x 2280 cm 384 m² 25 - 0.55 mm 15240 x  |                     |                     |   |   |   |  |  |  |  |
| R80   L   C   L   L   L   L   Wood Touch   S240 x 2280 cm 3.84 m² 2.5 - 0.55 mm   S240 x 2280 cm 1.92 m² 6.5 - 0.55 mm   S240 x 2280   |                     |                     |   |   |   |  | 0140 v 15 20 cm 2 24 m² 25 055                     |  |  |
| 810 L C Registre Embossed 142.0 x 22.90 cm 3.58 m² 2.5 - 0.55 mm 142.00 x 22.50 cm 1.92 m² 6.5 - 0.55 mm 142.00 x 22.50 cm 1.92 m² 6.5 - 0.55 mm 142.00 x 22.50 cm 1.92 m² 6.5 - 0.55 mm 142.00 x 22.50 cm 1.92 m² 6.5 - 0.55 mm 142.00 x 22.50 cm 1.92 m² 6.5 - 0.55 mm 142.00 x 22.50 cm 1.92 m² 6.5 - 0.55 mm 142.00 x 22.50 cm 1.92 m² 6.5 - 0.55 mm 142.00 x 22.50 cm 1.92 m² 6.5 - 0.55 mm 142.00 x 22.50 cm 1.92 m² 6.5 - 0.55 mm 142.00 x 22.50 cm 1.92 m² 6.5 - 0.55 mm 142.00 x 22.50 cm 1.92 m² 6.5 - 0.55 mm 142.00 x 22.50 cm 1.92 m² 6.5 - 0.55 mm 142.00 x 22.50 cm 1.92 m² 6.5 - 0.55 mm 142.00 x 22.50 cm 1.92 m² 6.5 - 0.55 mm 152.40 x 22.80 cm 3.84 m² 2.5 - 0.55 mm 152.40 x 22.80 cm 3.8  |                     |                     |   |   |   |  | 71,40 x 10,20 CIII 3,34 M° 2,5 - 0,55 MN           |  | 142 24 v 55 44 cm 2 22 m² 25 0 55                            |
| Register Embossed   14220 x 2290 cm   358 m² 25 - 0.55 mm   14200 x 2250 cm   192 m² 65 - 0.55 mm   192 m²  |                     |                     |   |   |   |  |  | 33,10 x 13,70 cm 3,13 mm Z,5 - U,55 mm             | 142,24 X 30,44 CHI 2,03 HT 2,5 - U,05 MM                     |
| 8300 L C Register Embossed 142.20 x 22.90 cm 3,58 m² 2,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 2,76 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 2,76 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 2,76 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 2,76 m² 6,5 - 0,55 mm 142.00 x 22.60 cm 2  |                     | -                   |   |   |   |  |  |  |  |
| 8340 L C Register Embossed 142,20 x 22,90 cm 3,58 m² 2,5 -0,55 mm 142,00 x 22,50 cm 1,92 m² 6,5 -0,55 mm 60,96 x 15,24 cm 3,35 m² 2,5 -0,55 mm 142,00 x 22,50 cm 1,92 m² 6,5 -0,55 mm 142,00 x 22,50 cm 1,92 m² 6,5 -0,55 mm 142,00 x 22,50 cm 1,92 m² 6,5 -0,55 mm 142,00 x 22,50 cm 1,92 m² 6,5 -0,55 mm 142,00 x 22,50 cm 1,92 m² 6,5 -0,55 mm 142,00 x 22,50 cm 1,92 m² 6,5 -0,55 mm 142,00 x 22,50 cm 1,92 m² 6,5 -0,55 mm 142,00 x 22,50 cm 1,92 m² 6,5 -0,55 mm 142,00 x 22,50 cm 1,92 m² 6,5 -0,55 mm 142,00 x 22,50 cm 2,76 m² 6,5 -0,55 mm 152,40 x 22,80 cm 3,84 m² 2,5 -0,55 mm 152,40 x 22,80 cm 3,84 m² 2,5 -0,55 mm 152,40 x 22,80 cm 3,84 m² 2,5 -0,55 mm 152,40 x 22,80 cm 2,76 m² 6,5 -  |                     | -                   |   |   |   |  |  |  |  |
| 8360 L C LV CV LT Register Embossed 142,20 x 22,90 cm 3,58 m² 2,5 - 0,55 mm 142,00 x 22,50 cm 1,92 m² 6,5 - 0,55 mm 60,96 x 15,24 cm 3,35 m² 2,5 - 0,55 mm 152,40 x 22,80 cm 3,84 m² 2,5 - 0,55 mm 152,40 x 22  |                     | -                   |   |   |   |  |  |  |  |
| 8510 L C LV LW LT Register Embossed 152.40 x 22.80 cm 3.84 m² 2.5 - 0.55 mm 152.40 x 22.80 cm 2.76 m² 6.5 - 0.55 mm 73.00 x 14.60 cm 2.99 m² 2.5 - 0.55 mm 81 142.24 x 55.44 cm* 2.83 m² 2.5 - 0.55 mm  |                     | -                   |   |   | 60.96 v 15.24 cm 3.25 m² 2.5 - 0.55 mm                | 50 60 v 14 00 cm 104 m² 4 5 0 55   | m  |  | 142.24 v 55.44 cm 2.83 m <sup>2</sup> 2.5 0.55 m <sup></sup> |
| 8520 L C LV LW Register Embossed 152.40 x 22.80 cm 3.84 m² 2,5 - 0,55 mm 152.40 x 22.60 cm 2,76 m² 6,5 - 0,55 mm 81 152.40 x 22.60 cm 2,76 m² 6,5 - 0,55 mm 81 152.40 x 22.80 cm 3,84 m² 2,5 - 0,55 mm 81 152.40 x 22.80 cm 3,84 m² 2,5 - 0,55 mm 81 152.40 x 22.80 cm 3,84 m² 2,5 - 0,55 mm 81 152.40 x 22.60 cm 2,76 m² 6,5 - 0,55 m  |                     | -                   |   |   |   | 37,00 X 14,70 CIII 1,70 III- 0,0 - 0,00 T  |  |  |  |
| 8530 L C Register Embossed 152.40 x 22.80 cm 3.84 m² 2,5 - 0,55 mm 152.40 x 22.60 cm 2,76 m² 6,5 - 0,55 mm 8540 L C Register Embossed 152.40 x 22.80 cm 3.84 m² 2,5 - 0,55 mm 152.40 x 22.60 cm 2,76 m² 6,5 - 0,55 mm 152.40 x 22.60 cm 2,76 m² 6,5 - 0,55 mm 152.40 x 22.60 cm 2,76 m² 6,5 - 0,55 mm 152.40 x 22.60 cm 2,76 m² 6,5 - 0,55 mm 152.40 x 22.50 cm 3,84 m² 2,5 - 0,55 mm 152.40 x 22.50 cm 1,92 m² 6,5 - 0,55 mm   |                     | -                   |   |   | X X   |  |  |  | 172,24 x 33,44 0111 Z,03 111 Z,0 - U,00 IIIM                 |
| 8540 L C Register Embossed 152.40 x 22.80 cm 3,84 m² 2,5 - 0,55 mm 152.40 x 22.60 cm 2,76 m² 6,5 - 0,55 mm 162.40 x 22.60 cm 2,76 m² 6,5 - 0,55 mm 142.00 x 22.50 cm 1,92 m² 6,5 - 0,55 mm  |                     |                     |   |   | 7-5,0-0 A 14,00 CIII 2,77 III 2,0 - 0,30 IIIIII XI    |  | 71,40 x 10,20 cm 3,34 m° 2,5 - 0,55 mm             |  |  |
| 8700 L C Register Embossed 142,20 x 22,90 cm 3,58 m² 2,5 - 0,55 mm 142,00 x 22,50 cm 1,92 m² 6,5 - 0,55 mm  |                     | -                   |   |   |   |  |  |  |  |
|   |                     | -                   |   |   |   |  |  | A PA+  | O & @ MCE  |
|   | 0,00 L 0            | vedister Ellipossed |   | 172,00 X 22,00 GHT 1,72 HT 0,0 = 0,00 MM            |   |  | 6  | W Main   |  |

Floors that suit your lifestyle.

#### Vivafloors

Breukersweg 1C 7471 ST Goor NL

info@vivafloors.nl vivafloors.com

- f vivafloors

  o @vivafloors
- p vivafloors
- vivafloors
- in vivafloors

vivafloors