

# Outdoor floor mats

## Mosolut INB®

The high-load Mosolut INB® outdoor mat offers animals comfort during outdoor standing and easy riding of agricultural machinery.

These plastic tiles are not harmful to health and allow safe movement of horses and cattle. Their outdoor installation eliminates the formation of deep mud and offers effective ground reinforcement at feeding or access roads.



RECYCLED  
**PVC**  
MATERIAL

CERTIFICATION  
**SLW**  
**60**

LASTS MORE  
THAN  
**20**  
YEARS

**BLUE**  
**ANGEL**  
CERTIFICATION



# Outside planks

## Mosolut INB®

### BASIC TECHNICAL PARAMETERS

loadable up to 60 t/m <sup>2</sup>	50 cm x 50 cm x 5,3 cm	1 m <sup>2</sup> = 4 pcs	6,7 kg / pc
------------------------------------	------------------------	--------------------------	-------------

### BENEFITS

- Provides Stability for animals and vehicle access all year round
- Low maintenance and cost effective throughout the product life
- Interlocking design enables easy & quick installation
- Anti-slip design with ideal aperture size for horses
- Easy Installation - No substructure necessary
- Excellent water drainage through the surface
- Durable, non-rotting and weather resistant
- Suitable for multiple agricultural purposes



### USE

- Paddocks
- Riding arenas
- Path fastening
- Farm fortifications
- Sidewalk fixing
- Storage areas

### COLORS

Graphite



### PERMEABLE DESIGN

Excellent water drainage through the surface

### LOAD CAPACITY

Suitable for loads up to 56 tons per 10 ft<sup>2</sup> (60 tons per 1 m<sup>2</sup>)

### WATER STORAGE

In dry periods, keeps the surface moist for longer. Up to 6.3 fl oz per 1 ft<sup>2</sup> (2 l per 1 m<sup>2</sup>)

### GROUND EROSION


Prevents erosion, ideal for muddy paddocks, riding arenas, parking lots and pathways

### ENVIRONMENTALLY FRIENDLY

Manufactured from 100% recycled plastic

### STABLE

Interlocking design creates a stable, self-supporting structure





**Mosolut s.r.o.**

Fučíkova 920/21, 628 00 Brno

Czech republic

[info@mosolut.cz](mailto:info@mosolut.cz)

+420 602 789 113

+420 737 716 909

[www.mosolut.com](http://www.mosolut.com)

[www.hestra-plattan.com](http://www.hestra-plattan.com)

